

A640

Hercules


Art.Nr. 1616082

Montagehandleiding
Notice de montage
Assembling manual
Montageanleitung
Instrucciones para el montaje


Leeftijd:
Age: 4-15
Age group:
Alter:
Edad:

EUROPLAY nv
Eegene 9
B-9200 DENDERMONDE
tel. 32.52.22 66 22
fax.32.52.22 67 22
www.europlay.eu


Dat.: 15/06/2012
Page: 1/6




VALHOOGTE / HAUTEUR DE CHUTE
FALL HEIGHT / FALLHÖHE / ALTURA DE CAÍDA



VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD
















AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
L : 3560
H : 1000
Br: 1000







Samenvoegingszone avonturenpad
Zone de liaison parcours d'aventures
Verbindungsfeld survival parcours
Linking zone adventure path



Benodigdheden -- Liste des pièces -- Requisites -- Benötigtes -- Accesorios





4x  A640-H-V-01 Eik	4x  Verzinkt staal M12x210	
4x  A640-H-V-02 Eik	4x  Verzinkt staal M12x230	
1x  A640-H-H-01 Lariks	14x  Polyamide	
1x  A640-H-H-02 Lariks	14x  Verzinkt staal M12	14x  Verzinkt staal M12
1x  A640-H-H-02 Lariks	6x  Verzinkt staal	
3x  3036		











Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
 Par temps sec il faut resserrer régulièrement toute la visserie.
 By dry and warm weather check the tightness of all bolts and screws.
 Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.
 Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.